

Optical coherent feedback control of a mechanical oscillator

Maryste Ernzer,^{*} Manel Bosch Aguilera,^{*} Matteo Brunelli, Gian-Luca

Schmid, Christoph Bruder, Patrick P. Potts,[†] and Philipp Treutlein[‡]

Department of Physics and Swiss Nanoscience Institute,

University of Basel, Klingelbergstrasse 82, 4056 Basel, Switzerland

Feedback is a powerful and ubiquitous technique both in classical and quantum system control. In its standard implementation it relies on measuring the state of a system, classically processing and feeding back the extracted information. In quantum physics, however, measurements not only read out the state of the system, but also modify it irreversibly. A different kind of feedback which coherently processes and feeds back quantum signals without actually measuring the system is possible. This is known as coherent feedback. Here, we report on the realization of an optical coherent feedback platform to control the motional state of a nanomechanical membrane in an optical cavity. The coherent feedback loop consists of a light field interacting twice with the same mechanical mode through different cavity modes, without any measurement taking place. Tuning the optical phase and delay of the feedback loop allows us to control the motional state of the mechanical oscillator, its resonance frequency and damping rate, the latter of which we use to cool the membrane close to the quantum ground state. We present here a theoretical description and experimental realization of this scheme. Our theoretical analysis provides the optimal cooling conditions, showing that this new technique enables ground-state cooling. Experimentally, we show that we can cool the membrane to a state with $\bar{n}_m = 4.89 \pm 0.14$ phonons (480 μ K) in a 20 K environment. This lies below the theoretical limit of cavity dynamical backaction cooling in the unresolved sideband regime. Our feedback scheme is very versatile, offering new opportunities for quantum control in a variety of optomechanical systems.

I. INTRODUCTION

Quantum feedback is a powerful technique for cooling and controlling quantum systems [1]. The conventional strategy relies on quantum-limited measurements followed by classical processing and feedback actuation onto the system. However, quantum mechanics also allows for coherent feedback of quantum signals [2, 3], without destroying coherence in the process. Such coherent feedback may exploit the information stored in non-commuting observables, while circumventing the decoherence and back-action noise associated with a measurement [1, 2, 4]. Coherent feedback has thus the potential to improve quantum control and provide new capabilities in a broad range of physical systems [5, 6]. Coherent feedback strategies have been adopted to assist in a variety of different tasks [1], e.g. for noise cancellation [7, 8], pure-state preparation [6], optical squeezing [9, 10], stabilization and enhancement of entanglement [11, 12], sympathetic cooling [13–15], swaps of arbitrary states [16], qubit state control [17], and generating large optical nonlinearities at the single-photon level [18, 19].

Optomechanical systems are very well suited for coherent feedback control, as they offer a clean and tailored interface between highly coherent mechanical and electromagnetic field modes [20]. Indeed, various coherent feedback protocols have been theoretically proposed to enhance cooling of optomechanical systems [21–23], to reduce the added noise in the low-phonon number regime of optomechanical precision measurements [24], to enable or enhance entanglement generation, verification, as well as state transfer [22, 25–27]. Co-

herent feedback thus allows to facilitate and extend the capabilities of quantum transducers between optics and mechanics [28].

Despite this wide range of possibilities, there have been surprisingly few experiments investigating coherent feedback in optomechanics [15, 29]. An optical coherent feedback loop acting directly onto a mechanical oscillator has not yet been realized. Moreover, while measurement-based feedback has been studied in some depth also from a theory point of view [30–34], essential questions regarding the performance of coherent feedback in optomechanics and its limitations in actual experimental settings remain open.

In this work, we present both a theoretical description and experimental realization of a simple, all-optical coherent feedback platform to control a single vibrational mode of a mechanical oscillator. We use a double-pass scheme where an optical signal interacts twice with the same mechanical mode through two different cavity modes of orthogonal polarization. The entire control of the phase and delay of the feedback signal is implemented purely via the optical field, without introducing measurements and subsequent electronic processing. Our approach is thus able to generate a variety of different interactions, ranging from Hamiltonian couplings to dissipative and non-reciprocal dynamics [35–37].

As a first application of the extended control offered by the coherent feedback loop, we investigate cooling of the mechanical mode close to its quantum ground state, a prerequisite for many applications in quantum science and technology [20, 28, 38]. We show theoretically that coherent feedback enables ground-state cooling even in the non-resolved sideband regime, where cavity dynamical backaction cooling with a single or two independent optomechanical interactions cannot reach the ground state [20]. Experimentally, we demonstrate the advantage of the coherent feedback loop by cooling below the theoretical limit of cavity dynamical backaction cooling

^{*} These authors contributed equally to this work.

[†] patrick.potts@unibas.ch

[‡] philipp.treutlein@unibas.ch




FIG. 1. Sketch of experimental setup and optical coherent feedback loop. **(a):** An incoming light beam \hat{a}_1^{in} is injected into an optomechanical cavity, where it drives the cavity field \hat{c}_1 that interacts with a mechanical oscillator with quadratures \hat{X}_m, \hat{P}_m . The back-reflected beam \hat{a}_1^{out} is combined with an auxiliary local oscillator mode \hat{a}_{aux} to control the phase of the feedback loop φ . The combined field is delayed by τ with the help of an optical fiber, before being sent back as input \hat{a}_2^{in} for a second interaction with the mechanical oscillator in an orthogonal polarization cavity mode \hat{c}_2 . The outgoing light after the second interaction leaves the loop. A small fraction of \hat{a}_1^{out} is picked up for detection and phase locking of the loop. **(b):** Phase-space visualisation of the feedback loop. The sketch represents the amplitude (X_L) and phase (P_L) quadratures of the light outside the cavity in an arbitrary frame. On resonance, the coherent cavity output field after the first interaction α_1^{out} is phase-modulated (dashed line) with the membrane displacement signal $X_m(t)$. This is converted into an amplitude modulation of α_2^{in} by mixing the coherent field with an auxiliary local oscillator α_{aux} with the appropriate relative phase ϕ . After a delay $\Omega_m \tau = \pi/2$, the amplitude modulation becomes proportional to the membrane momentum P_m at time t (dashed line in α_2^{in}) and exerts a force on the mechanical oscillator.

in our system. This is of particular interest for optomechanical systems with cavities of large bandwidth, which induce only a small delay and are frequently encountered in optomechanical displacement sensing, quantum interfaces and hybrid setups [39].

The remainder of this paper is structured as follows: We first give an overview of the working principle of our coherent feedback platform for controlling a mechanical oscillator in an optical cavity. Next we develop a theoretical model of the feedback scheme, before we show experimental results on motional state control and its application to cooling. Finally we compare our theoretical results to those of measurement-based feedback for the specific task of cooling.

II. OVERVIEW OF THE COHERENT FEEDBACK SCHEME

We start by illustrating the working principle of our coherent feedback scheme, sketched in Fig. 1. The goal is to control the motional state of a mechanical oscillator by designing an optical feedback loop that preserves the quantum coherent properties of the light field, which acts as the controller. To this end, the mechanical oscillator is radiation-pressure coupled to *two* cavity modes in a cascaded double-pass interaction. The first interaction takes place between the mechanical oscillator and the cavity mode \hat{c}_1 , which is driven by a strong local oscillator, realizing the standard cavity optomechanical interaction [20]. Due to the optomechanical coupling, information about the mechanical position \hat{X}_m is imprinted onto the phase quadrature of \hat{c}_1 . This mode is then cascaded into the second cavity mode \hat{c}_2 via an all-optical feedback loop. Specifically, the output light of the first mode, with mean amplitude α_1^{out} , is mixed with a second local oscillator and fed

back as the input of the second cavity mode, with amplitude α_2^{in} , as shown in Fig. 1. The resulting optical feedback loop is characterized by two parameters, the relative phase φ and the in-loop delay time τ . The phase φ is determined by a second local oscillator α_{aux} , which implements a displacement in the optical phase space of the modes travelling within the loop, see Fig. 1 (b).

Both feedback parameters are crucial for controlling the mechanical oscillator. The phase φ is adjusted so that the phase quadrature of the outgoing mode, which contains information on the mechanical position, is turned into the amplitude quadrature of the incoming mode, which exerts the radiation pressure force on the mechanical oscillator. As sketched in Fig. 1 (b), this occurs for $\varphi = \pi/2$. Adjusting the delay τ allows to either feed back the instantaneous position [when $\hat{X}_m(t - \tau) \simeq \hat{X}_m(t)$], momentum [when $\hat{X}_m(t - \tau) \simeq \hat{P}_m(t)$, as represented in Fig. 1 (b)], or a superposition thereof. While feeding back the position enables the control of the mechanical oscillator frequency, feeding back the momentum allows to control its damping, which can be exploited for ground-state cooling.

Previous theoretical proposals for coherent feedback cooling of mechanical oscillators [21–23, 27] rely on coherently enhancing the interaction of the cavity light with the mechanics, mostly by modifying the effective cavity linewidth [22, 27], and on loops that impart only a delay (plus unavoidable coupling losses). In contrast, our scheme applies the coherent feedback directly to the mechanical oscillator, such that the feedback can be generated with a single cavity driven in two independent modes. Moreover, it allows to tune the loop phase φ , which strongly influences the effect of the feedback.

Our scheme requires no additional optical devices such as cavities and only minor modifications of the optical path, resulting in a modular scheme that is optimally suited for incor-

poration into various types of optomechanical systems.

Furthermore, our double-pass scheme does not require non-classical input light states [40, 41], additional interactions with other physical systems [13, 15, 42], nor the overall very high detection efficiency of measurement-based feedback schemes [30–34]. The relaxation of the requirements on measurement efficiency renders our scheme valuable for systems working in wavelength ranges where efficient photodetectors are not available, e.g. in integrated circuit platforms [43].

III. THEORETICAL MODEL

In this section, we provide a theoretical model for the coherent feedback scheme described above. The mechanical oscillator that is to be controlled is described by the Langevin equations

$$\begin{aligned}\partial_t \hat{X}_m(t) &= \Omega_m \hat{P}_m(t), \\ \partial_t \hat{P}_m(t) &= -\Omega_m \hat{X}_m(t) - \gamma_m \hat{P}_m(t) - 2 \sum_{j=1}^2 g_j \hat{x}_j(t) - \sqrt{2\gamma_m} \hat{\xi}_{\text{th}}(t),\end{aligned}\quad (1)$$

where $\hat{X}_m(t)$ and $\hat{P}_m(t)$ denote the dimensionless position and momentum operators of the mechanical oscillator, Ω_m its frequency, and γ_m its energy damping rate. The mechanical oscillator is driven by thermal noise $\hat{\xi}_{\text{th}}$, which has zero average and is fully described by its spectral density [44]

$$S_{\text{th}}(\omega) = \frac{\omega}{\Omega_m} [n_B(\omega) + \Theta(\omega)], \quad (2)$$

where $n_B(\omega) = [\exp(\hbar\omega/k_B T) - 1]^{-1}$ denotes the Bose-Einstein distribution and $\Theta(\omega)$ the Heaviside theta function.

The oscillator furthermore couples to the amplitude quadrature of two optical modes, $\hat{x}_j = (\hat{c}_j^\dagger + \hat{c}_j)/\sqrt{2}$ with strength g_j , where $j = 1, 2$. As discussed in more detail below, the coupling strengths depend on the average displacements of the optical modes and the operators \hat{c}_j describe fluctuations around this displacement [20].

The first cavity mode is described by the Langevin equation (in a frame rotating at ω_L)

$$\partial_t \hat{c}_1(t) = \left(i\Delta - \frac{\kappa}{2}\right) \hat{c}_1(t) - i\sqrt{2}g_1 \hat{X}_m(t) - \sqrt{\kappa} \hat{a}_1^{\text{in}}(t), \quad (3)$$

where $\Delta = \omega_L - \omega_c$ denotes the detuning from the cavity mode frequency ω_c and κ the cavity linewidth. This mode is driven by a local oscillator with frequency ω_L and average displacement α_1^{in} , which serves as our phase-reference [i.e., $\arg(\alpha_1^{\text{in}}) = 0$]. Fluctuations around this displacement are described by the operator \hat{a}_1^{in} . Due to the optomechanical coupling, the outgoing field leaving this cavity mode

$$\hat{a}_1^{\text{out}}(t) = \hat{a}_1^{\text{in}}(t) + \sqrt{\kappa} \hat{c}_1(t), \quad (4)$$

contains information on the position of the mechanical oscillator. From Eq. (3), it follows that on resonance ($\Delta = 0$), this information is only contained in the phase quadrature $\hat{p}_1 = i(\hat{c}_1^\dagger - \hat{c}_1)/\sqrt{2}$.

To implement the coherent feedback, the output of the first cavity mode is fed back into the input of the second cavity mode. Before it is coupled into the cavity, it undergoes a displacement by combining it with an auxiliary local oscillator with the same frequency ω_L and average displacement α_{aux} [$\arg(\alpha_{\text{aux}}) = \phi$], and it is delayed by the time τ . The second cavity mode is then driven by the input mode [45]

$$\hat{a}_2^{\text{in}}(t) = \sqrt{\eta} e^{i\varphi} \hat{a}_1^{\text{out}}(t - \tau) + \sqrt{1 - \eta} \hat{a}_{\text{aux}}(t), \quad (5)$$

where the phase $\varphi = \arg(\alpha_1/\alpha_2)$ denotes the phase-difference between the average displacements of the cavity modes. As shown in App. B 1, η may take into account any losses in the system. The Langevin equation for the second cavity mode then reads

$$\begin{aligned}\partial_t \hat{c}_2(t) &= \left(i\Delta - \frac{\kappa}{2}\right) \hat{c}_2(t) - i\sqrt{2}g_2 \hat{X}_m(t) - \sqrt{\eta\kappa} e^{i\varphi} \hat{c}_1(t - \tau) \\ &\quad - \sqrt{\eta\kappa} e^{i\varphi} \hat{a}_1^{\text{in}}(t - \tau) - \sqrt{(1 - \eta)\kappa} \hat{a}_{\text{aux}}(t).\end{aligned}\quad (6)$$

The average displacements of the cavity modes can be written as

$$\begin{aligned}\alpha_1 &= -\frac{\sqrt{\kappa}\alpha_1^{\text{in}}}{\kappa/2 - i\Delta}, \\ \alpha_2 &= \frac{1}{\kappa/2 - i\Delta} \left[\sqrt{\eta\kappa} \frac{\kappa/2 + i\Delta}{\kappa/2 - i\Delta} \alpha_1^{\text{in}} - \sqrt{(1 - \eta)\kappa} \alpha_{\text{aux}} \right].\end{aligned}\quad (7)$$

In terms of these, the optomechanical coupling strengths can be written as $g_j = g_0|\alpha_j|$, where g_0 is the bare coupling strength. The amplitudes of the local oscillators are related to their input power as $P_1 = \hbar\omega_L|\alpha_1^{\text{in}}|^2$ and $P_{\text{aux}} = \hbar\omega_L|\alpha_{\text{aux}}|^2$ respectively.

To better understand the effect of the coherent feedback loop, it is illustrative to eliminate the cavity modes from the Langevin equations. For a high-quality oscillator $\gamma_m \ll \Omega_m$ and delay times that obey $\tau\gamma_m \ll 1$, we find

$$\begin{aligned}\partial_t^2 \hat{X}_m(t) &= -(\Omega_m + \delta\Omega_m)^2 \hat{X}_m(t) - (\gamma_m + \Gamma_m) \partial_t \hat{X}_m(t) \\ &\quad + \Omega_m \sqrt{2\gamma_m} \hat{\xi}_{\text{th}}(t) + \Omega_m \sqrt{2\Gamma_m} \hat{\xi}_{\text{fb}}(t),\end{aligned}\quad (8)$$

where Γ_m and $\delta\Omega_m$ denote the effective damping and the frequency shift that are controlled by the coherent feedback loop. In the unresolved sideband regime and on cavity resonance these quantities reduce to

$$\begin{aligned}\Gamma_m &= 16 \sqrt{\eta} \frac{g_1 g_2}{\kappa} \sin(\varphi) \sin(\Omega_m \tau), \\ \delta\Omega_m &= -8 \sqrt{\eta} \frac{g_1 g_2}{\kappa} \sin(\varphi) \cos(\Omega_m \tau).\end{aligned}\quad (9)$$

Expressions for the general scenario are given in App. B.

From these expressions, we may understand the physical significance of the parameters that determine the coherent feedback loop. To maximize the effect that the optical field exerts on the mechanics, we should choose $\varphi = \pi/2$. The reason for this is sketched in Fig. 1 (b) and was already discussed qualitatively in Sec. II: For $\Delta = 0$, the first optical mode contains the information on \hat{X}_m in the phase quadrature,

$\hat{p}_1 = i(\hat{c}_1^\dagger - \hat{c}_1)/\sqrt{2}$, the quadrature that does *not* exert a radiation pressure force on the mechanical oscillator. Through the feedback loop, the \hat{c}_1 mode will be fed into the second, \hat{c}_2 mode. In order for the feedback to be effective, the phase quadrature of the \hat{c}_1 mode has to be fed into the amplitude quadrature of the \hat{c}_2 mode, \hat{x}_2 , the quadrature that does couple to the mechanical oscillator. For this to occur, the field has to be displaced by the auxiliary local oscillator, such that $\varphi = \pi/2$.

Furthermore, Eqs. (9) show that by tuning the delay, the feedback can either result in a frequency shift or a damping. Since for $\tau\gamma_m \ll 1$ we have approximately

$$\hat{X}_m(t - \tau) \simeq \cos(\Omega_m \tau) \hat{X}_m(t) - \sin(\Omega_m \tau) \hat{P}_m(t), \quad (10)$$

we can see that the delay determines which quadrature, \hat{X}_m or \hat{P}_m , is being fed back to the oscillator. In the limit of no delay we are feeding back a force proportional to the position, resulting in a strong frequency shift. Maximal damping can be achieved by feeding back a force proportional to the momentum, which occurs at $\Omega_m \tau = \pi/2$. We note that the induced damping can become negative as $\gamma_m + \Gamma_m < 0$, in which scenario the system becomes unstable and our linearized description fails.

The phonon number of the mechanical oscillator is determined by the symmetrized spectral densities of the noise terms in Eq. (8) and can be written as

$$\bar{n}_m = \frac{\gamma_m/2}{\gamma_m + \Gamma_m} \bar{S}_{\text{th}}(\Omega_m) + \frac{\Gamma_m/2}{\gamma_m + \Gamma_m} \bar{S}_{\text{fb}}(\Omega_m) - \frac{1}{2}, \quad (11)$$

with $\bar{S}_{\text{th}}(\Omega_m) = S_{\text{th}}(\Omega_m) + S_{\text{th}}(-\Omega_m) = 2n_{\text{th}} + 1$, where $n_{\text{th}} = n_B(\Omega_m)$ denotes the thermal occupation. The expression for the spectral density of the feedback noise $S_{\text{fb}}(\omega)$ is given in Eq. (B25). From the last equation and the damping given in Eq. (9), we find that a large quantum cooperativity is a necessary condition to reach the quantum regime where thermal excitations can be neglected

$$C_{\text{qu}} = \frac{4g_1 g_2}{\kappa \gamma_m n_{\text{th}}} \gg 1. \quad (12)$$

In the unresolved sideband limit and on resonance, we find the phonon occupation number

$$\bar{n}_m = \frac{4}{\kappa \Gamma_m} \left[g_1^2 + g_2^2 - 2\sqrt{\eta} g_1 g_2 \cos(\Omega_m \tau - \varphi) \right] \geq \frac{1 - \sqrt{\eta}}{2\sqrt{\eta}}, \quad (13)$$

where the lower limit is reached for $\Omega_m \tau = \varphi$ and $g_1 = g_2$. Interestingly, this lower bound has the same form as the limit of measurement-based feedback cooling [31, 46], with the efficiency of the feedback loop η replacing the measurement efficiency. As discussed in more detail in Sec. VI, the coherent feedback cooling can, in the ideal limit, be understood as a coherent implementation of measurement-based cooling.

IV. COHERENT FEEDBACK CONTROL OF A NANOMECHANICAL MEMBRANE

Our experimental setup consists of a mechanical oscillator inside a cavity in a cryogenic environment provided by a low-

noise liquid-Helium flow cryostat. The mechanical oscillator is the (2,2) square drum mode of a silicon nitride membrane [47] with a vibrational frequency $\Omega_m = 2\pi \times 1.9$ MHz. The membrane is surrounded by a silicon phononic bandgap structure which shields this mode, leading to intrinsic quality factors that range from $Q = \Omega_m/\gamma_m = 1.9 \times 10^6$ at room temperature to $Q = 3.2 \times 10^6$ at 20 K. The membrane is placed inside a single-sided optical cavity of free spectral range 150 GHz, finesse $\mathcal{F} = 1200$ and linewidth $\kappa = 2\pi \times 55$ MHz, such that the optomechanical system operates in the unresolved sideband regime $\kappa \gg \Omega_m$. The bare optomechanical coupling strength is $g_0 = 2\pi \times 160$ Hz, calibrated via a phase modulation tone [48].

The overall efficiency of the feedback loop is determined by a combination of different losses that accumulate along the optical path. Following the optical path illustrated in Fig. 1 (a), for the first beam we have to consider the finite cavity incoupling efficiency $\eta_1 = 0.91$. For the second pass it includes the unavoidable loss at the beamsplitter that combines the auxiliary local oscillator \hat{a}_{aux} and the back reflection of the first beam \hat{a}_1^{out} , which has a splitting ratio $\eta_{\text{aux}} = 0.87$. Additionally, there is a cumulative loss due to the propagation in the optical fibre and other optical elements together with the cavity incoupling efficiency of the second beam in orthogonal polarization, resulting in a total efficiency $\eta_2 = 0.28$ of the second pass. As discussed in App. B 1, these losses can be fully taken into account by the overall efficiency of the feedback loop $\eta = 0.22$ and by an appropriate rescaling of the average displacements.

In the following experiments, we use the delay and the phase of the coherent feedback loop as the tuning knobs that allow us to control the mechanical state of the membrane, as described by Eq. (9). This shows up in the recorded mechanical power spectral densities as a change of both the mechanical linewidth and the oscillation frequency, which we extract from Lorentzian fits to our data.

A. Control via the loop delay

In a first set of experiments, we study the effect of delay alone without an auxiliary local oscillator in the feedback loop. We generate different delays between the two interactions with the mechanical oscillator by sending the light after the first pass through optical fibers of different lengths. Interesting situations arise once the delay is significant, i.e. of order $\Omega_m \tau \sim 2\pi$. We investigate the effect generated by different delays starting from a fibre length of 2 m going up to 80 m, which corresponds to $\Omega_m \tau = 0.07\pi$ up to $\Omega_m \tau = 1.55\pi$.

At zero detuning, the motion of the membrane is imprinted purely as a phase modulation onto the output light such that in the absence of the auxiliary local oscillator this results in $\varphi = \pi$ (due to the back reflection from the cavity) and we expect no effect from the coherent feedback loop [cf. Eqs. (9)]. With a finite detuning however, a phase shift $\varphi \neq \pi$ is introduced even without any auxiliary local oscillator [cf. Eqs. (7)]. Therefore, in that case the motion is imprinted onto both the amplitude and phase quadratures and the effect of different delays due to

feedback becomes apparent. Additionally, the standard cavity dynamical backaction effects that are not captured by Eqs. (9) modify the frequency shift and damping rate, see App. B for details.

Figure 2 shows experimental data where we study the effect of different feedback delays while scanning the detuning for an input power $P_1 = 60 \mu\text{W}$. The coherent feedback onto the mechanical oscillator results both in a shift of the mechanical frequency [Fig. 2(a)] and in a broadening or narrowing of the mechanical linewidth [Fig. 2(b)], leading to damping or driving, respectively. This is consistent with a picture in which the membrane motion couples via the light to a delayed version of itself, leading to feedback forces $F_{\text{fb}} \propto \pm P_m(t)$ for certain delays as shown in Eq. (8) and in Fig. 2(c).

Indeed, we observe that for a delay close to $\Omega_m \tau \sim \pi/2$ (i.e. a quarter of the oscillation period) the coupling is mostly proportional to $+P_m$ and we observe driving (narrowing of the linewidth) even with a red detuned beam. Half a period later, for $\Omega_m \tau \sim 3\pi/2$, the feedback force is mostly proportional to $-P_m$ and the motional damping is amplified by more than a factor 3 as compared to a single interaction, leading to additional cooling of the mechanical oscillator. Finally, we see that for the smaller delays $\Omega_m \tau \sim 0$, the effect of the second interaction on the broadening is small $\Gamma_m \simeq 0$, since the feedback force in this case is mostly $\propto X_m$.

The agreement with the theoretical predictions in Eqs. (B23) and (B24) (solid lines in Fig. 2) is excellent. The theory lines for the feedback interaction contain no free parameters. The detuning axis is calibrated from the recorded linewidths in the single-pass interaction under the effect of the standard cavity dynamical backaction [20], and can be extracted with an uncertainty of $\pm 5\%$.

B. Control via the loop phase

A handy tuning knob of a feedback platform is the overall feedback phase. Here, we investigate how the loop phase modifies the membrane motion at a fixed delay and cavity detuning. As previously discussed, this phase allows us to control the amount of motional information that is transferred onto the amplitude quadrature of the second interaction beam, thereby maximising or minimising the feedback force on the membrane, as well as the overall sign of the interaction. Experimentally, we scan the loop phase φ by adjusting the phase of the auxiliary local oscillator ϕ , which is selected and stabilised by locking at a specific angle of the interferometric signal between a small leak of α_1^{out} and α_{aux} [see Fig. 1].

The measured frequency shifts and linewidths are shown in Fig. 3. In this measurement, the delay is held constant at $\Omega_m \tau \sim 0.07\pi$ and the detuning at $\Delta/\kappa = -0.2$, the input powers were set to $P_1 = 20 \mu\text{W}$ and $P_{\text{aux}} = 3 \mu\text{W}$. This detuning is experimentally chosen such that the amount of standard cavity dynamical backaction cooling is strong. This allows us to show the coherent feedback effect by scanning the full range 2π of the loop phase without running into instabilities when approaching negative effective linewidths. In practice, when we reach this unstable regime [blue dashed lines in Fig. 3(b)],




FIG. 2. Mechanical frequency shift (a) and damping rate (b) as a function of the cavity detuning for different feedback delays. The data points correspond to the results of Lorentzian fits to the mechanical power spectral density. The solid lines correspond to the theoretical predictions in Eqs. (B23) and (B24) evaluated at $\omega = \Omega_m$ with no free parameters. The detuning axis is calibrated from the measured linewidth in the single-pass interaction (dashed red line). (c) The mechanical linewidth at a detuning of $\Delta/\kappa = -0.57$ for the different fibres and respective delays.

the system is driven and the measured linewidth is close to zero.

Scanning the phase, we observe that both the resonance frequency and the linewidth can be modified to either higher or lower values compared to the optical spring and broadening that occur even without the coherent feedback. We exploit this aspect in the next section to optimally feedback cool the mechanical oscillator. Here again, we find an excellent agreement between the experimental data points and the theory prediction in Eqs. (B23) and (B24) with no free parameters.

V. COHERENT FEEDBACK COOLING BELOW THE DYNAMICAL BACKACTION LIMIT

For cavity optomechanical systems within the so-called resolved sideband regime, it has been established theoretically and demonstrated in multiple platforms that a red-detuned drive allows to cool the mechanical oscillator close to its motional ground state [20]. Outside this regime, cavity dynamical backaction cooling to the ground state is no longer attainable and the most widely used cooling technique is measurement-based feedback [30, 49], where the optical signal is measured and converted into a classical electronic signal that drives the feedback actuator.

Here, we exploit the control provided by the coherent feedback loop demonstrated in the previous section to cool the membrane close to the ground state in the unresolved sideband regime. The available tuning knobs are the loop phase φ and delay τ as well as the detuning Δ and the powers of




FIG. 3. Mechanical frequency shift **(a)** and damping rate **(b)** as a function of the phase of the auxiliary local oscillator. The red dotted lines correspond to the broadening expected in the absence of feedback, but with an equivalent power in a single beam. The solid lines correspond to Eqs. (B23) and (B24) evaluated at $\omega = \Omega_m$ with no free parameters. The solid line in **(b)** is set to zero for negative values (dashed line), where the mechanical oscillator is driven by the feedback.

the first and auxiliary local oscillators P_1 and P_{aux} . In standard cavity cooling, the minimal number of phonons achievable in the unresolved sideband regime is bounded by $\kappa/(4\Omega_m)$ (cf. App. B 3), which in our case corresponds to about 7 phonons. In order to reach this dynamical backaction limit with our mechanical quality factor, we would need a laser power on the order of 100 mW [see Fig. 4 (c)]. The coherent feedback loop dramatically relaxes this power constraint and we are able to cool the motion of the membrane below the dynamical backaction limit, approaching the ground state.

In Fig. 4 (a) we show experiments where we reach our lowest membrane phonon occupation by scanning the experimental feedback loop phase. We present measurements at different cryostat temperatures, where the delay is set to $\Omega_m\tau \sim \pi/4$ and the detuning is kept fixed at $\Delta/\kappa = -0.35$. The powers for the first and auxiliary local oscillators are set to 400 μW and 1.2 mW, respectively. With these experimental parameters, the feedback loop drives the mechanical oscillator towards a state with phonon occupation of $\bar{n}_m = 4.89 \pm 0.14$ phonons for a cryostat temperature of 20 K, reaching a phonon number below the theoretical limit of cavity dynamical backaction cooling for our membrane-cavity assembly. The coherent feedback cooling rate is $\Gamma_m > 10\Gamma_{\text{dyn}}$, where Γ_{dyn} is the cooling rate of dynamical backaction cooling at the same power. We note that higher powers, smaller detunings and slightly smaller phases should further reduce the final number of phonons, but these parameter regimes were not accessible for us due to technical instabilities related to the cavity lock. Similarly, the optimal delay $\Omega_m\tau \sim \pi/2$ could not be implemented, most likely due to additional phase noise in longer fibres.

In these experiments the membrane phonon occupation is determined from the area of the mechanical power spectral density, recorded via phase-sensitive homodyne detection. By determining the reduction in area with respect to a single interaction [see Fig. 4 (b) and App. A] we extract \bar{n}_m .

VI. COMPARISON WITH MEASUREMENT-BASED FEEDBACK COOLING

It is illustrative to compare our coherent feedback scheme to well-known measurement-based feedback (mf) schemes for the specific task of cooling mechanical motion [30–33, 49]. In measurement-based feedback, the all-optical loop is replaced by an electronic loop. An estimate of the mechanical displacement is obtained from a measurement of the phase quadrature of the output light from cavity mode \hat{c}_1 , and then a mechanical force proportional to the derivative of the estimated displacement is applied. In the case where the feedback force is optomechanically actuated, the electronic signal modulates the amplitude of a laser driving the second cavity mode \hat{c}_2 , which results in a time-dependent coupling g_2 . Irrespective of the particular implementation of the feedback force, the effect of the feedback can be effectively modelled by replacing the coupling to the second cavity in the equation of motion for \hat{P}_m with a feedback force, entering Eq. (1) as a convolution term $F_{\text{mf}}(t) = (h_{\text{mf}} * p_1^{\text{est}})(t)$, where h_{mf} denotes the feedback transfer function and $p_1^{\text{est}} = p_1^{\text{out}, \eta_{\text{det}}} / \sqrt{\eta_{\text{det}}\kappa}$. Notice that the measurement is limited by the finite quantum efficiency of the detector η_{det} , i.e., $p_1^{\text{out}, \eta_{\text{det}}} = \sqrt{\eta_{\text{det}}}p_1^{\text{out}} - \sqrt{1 - \eta_{\text{det}}}p_0$, where p_0 is an uncorrelated vacuum field. For concreteness, here we focus on the case of the so-called cold damping scheme [49], while a more general treatment is provided in App. C. Cold damping is characterised by the following spectral filter function

$$h_{\text{mf}}(\omega) = -i \frac{g_{\text{mf}} \omega}{1 - i\omega/\omega_{\text{mf}}}, \quad (14)$$

which is expressed in terms of the bandwidth ω_{mf} and by the dimensionless quantity g_{mf} , which quantifies the feedback gain. The bandwidth ω_{mf} describes the finite time response of the feedback, while any explicit delay in the feedback loop is neglected [50]. From Eq. (14) we can already understand the regime of interest for feedback by observing that $\arg(h_{\text{mf}}) = -\arctan(\omega_{\text{mf}}/\omega)$. For $\omega_{\text{mf}} \gg \omega \approx \Omega_m$, the argument tends to $-\pi/2$, so that the feedback force becomes proportional to momentum, thus providing damping of the mechanical motion. Therefore, the relevant regime for feedback cooling is that of large feedback bandwidth.

Similar to coherent feedback cooling, the effect of measurement-based feedback cooling is fully taken into account by introducing a modified mechanical frequency and a modified damping rate, which are given by

$$\Gamma_{\text{mf}} = \frac{2\Omega_m g_1 g_{\text{mf}} \omega_{\text{mf}} [(\kappa/2)\omega_{\text{mf}} - \Omega_m^2]}{[(\kappa/2)^2 + \Omega_m^2](\Omega_m^2 + \omega_{\text{mf}}^2)}, \quad (15)$$

$$\delta\Omega_{\text{mf}} = \frac{\Omega_m^2 g_1 g_{\text{mf}} \omega_{\text{mf}} (\kappa/2 + \omega_{\text{mf}})}{[(\kappa/2)^2 + \Omega_m^2](\Omega_m^2 + \omega_{\text{mf}}^2)}. \quad (16)$$

In the relevant limit $\omega_{\text{mf}}, \kappa \gg \Omega_m$, the residual phonon occupation, as obtained from the corresponding noise spectral density, is given by

$$\bar{n}_{m,\text{mf}} = \frac{g_1}{g_{\text{mf}}\Omega_m} + \frac{g_{\text{mf}}\Omega_m}{16g_1\eta_{\text{det}}} - \frac{1}{2} \geq \frac{1 - \sqrt{\eta_{\text{det}}}}{2\sqrt{\eta_{\text{det}}}}, \quad (17)$$




FIG. 4. Coherent feedback cooling below the dynamical backaction limit. **(a)**: Phonon occupation plotted as a function of the phase of the auxiliary local oscillator at different cryostat temperatures for input powers $P_1 = 0.4$ mW and $P_{\text{aux}} = 1.2$ mW and detuning $\Delta/\kappa = -0.35$. The red shaded area indicates the limit of cavity dynamical backaction cooling. The shaded areas around the theory lines correspond to a $\pm 5\%$ uncertainty in the inferred detuning. The error bars take into account both the numerical uncertainty from the fit of the raw data and the propagation of uncertainties from the calibrated quantities, and are small compared to the point size. **(b)**: Shot-noise normalised mechanical power spectral densities corresponding to the data points at $T = 20$ K in **(a)**, the frequency origin is centered so that the $\delta\Omega = 0$ corresponds to the single-pass mechanical resonance frequency. **(c)**: Coherent feedback cooling compared to standard cavity dynamical backaction cooling. Blue line and data points: Phonon occupation at a constant loop phase $\phi = 130^\circ$, scanning the total input power resulting from the double-pass interaction $P = P_1(1 + \eta) + P_{\text{aux}} + 2\sqrt{\eta P_1 P_{\text{aux}}}\cos(\phi)$ while keeping the ratio $P_{\text{aux}}/P_1 = 3$ fixed, at a detuning $\Delta/\kappa = -0.35$. Red line: cooling by standard cavity dynamical backaction given the same total input power P at the optimal detuning $\Delta/\kappa = -0.5$ for dynamical backaction.

where the inequality is saturated for a value of the feedback gain $g_{\text{mf}} = 4\sqrt{\eta_{\text{det}}}g_1/\Omega_m$. Remarkably, the above expression has the same form as the residual occupation of coherent feedback cooling, given by Eq. (13).

To better appreciate this correspondence, we can evaluate Eqs. (9) and (13) for $\Omega_m\tau = \varphi = \pi/2$, i.e. the parameters that result in optimal cooling. We find

$$\Gamma_m = 16\sqrt{\eta}\frac{g_1g_2}{\kappa}, \quad \delta\Omega_m = 0, \quad (18)$$

$$\bar{n}_m = \frac{g_1}{4\sqrt{\eta}g_2} + \frac{g_2}{4\sqrt{\eta}g_1} - \frac{1}{2}.$$

In the limit $\omega_{\text{mf}}, \kappa \gg \Omega_m$, we can recover these expressions from Eqs. (15), (16), and (17) upon setting $g_{\text{mf}} = 4\sqrt{\eta}g_2\Omega_m$ and $\eta_{\text{det}} = \eta$. We therefore conclude that in this limit the two schemes are equivalent. In App. C we show that this equivalence can be extended to arbitrary delays τ and linewidths κ .

We note that beyond cooling applications where both light quadratures might play a role, coherent and measurement-based feedback control are not equivalent anymore [1].

VII. CONCLUSIONS & OUTLOOK

We implemented an all-optical coherent feedback platform to control the motion of a mechanical oscillator and demonstrated full control via the parameters of the feedback loop, namely the phase and the delay. We showed theoretically that this scheme can be used for ground-state cooling in the unresolved sideband regime without the need of measurements. We demonstrated experimentally that even with a

moderate mechanical Q -factor, we can beat the theoretical lowest-phonon number limit of cavity dynamical backaction cooling in the unresolved sideband regime. In contrast to previous proposals, where feedback is performed on the optical cavity mode [22, 27], we perform feedback directly on a mechanical oscillator mode. As such, the double-pass scheme can be adapted to a variety of different physical systems and is not restricted to optomechanics.

The beauty of coherent feedback lies in its potential for processing non-commuting observables [24]. In the unresolved sideband regime, coherent feedback opens up the possibility to generate self-interactions and mechanical squeezing [35], photon-phonon entanglement [22], or to enhance optical nonlinearities at the single-photon level [19]. Our scheme could also be exploited in the sideband resolved regime, where optomechanical couplings of the form $\hat{c}_j\hat{B} + \hat{B}^\dagger\hat{c}_j^\dagger$ can be designed, with \hat{B} being a raising or lowering operator of the mechanical oscillator. Such couplings are sensitive to both quadratures and potentially allow for creating non-classical mechanical states using coherent feedback [3].

In contrast to measurement-based control, coherent feedback avoids the incoherent addition of feedback and measurement noise, making it a key technique in the low-phonon number regime [24]. In particular, the interference resulting from a coherent addition of noise can be tuned via the loop phase to realize backaction cancellation [8, 35]. This makes our coherent feedback scheme a promising candidate for sensing applications, where such backaction cancellation is highly desirable.

Coherent feedback thus opens up new approaches for engineering the dynamics of quantum systems with potential ap-

plications for quantum technology, measurement and control as well as quantum thermodynamics.

ACKNOWLEDGMENTS

We thank Chun Tat Ngai and Thomas Karg for discussions. This work was supported by the project “Modular mechanical-atomic quantum systems” (MODULAR) of the European Research Council (ERC) and by the Swiss Nanoscience Institute (SNI). M.B.A. acknowledges funding from the European Union’s Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement N°101023088. P.P.P. and M.B. acknowledge funding from the Swiss National Science Foundation (Eccellenza Professorial Fellowship PCEFP2.194268).

Appendix A: Phonon number calibrations

1. Phonon number via homodyne detection

In this section, we detail the calibration of the phonon number, which is determined by performing a homodyne measurement on a leak of the first beam interacting with the membrane [see Fig. 1(a)]. This is done at room temperature, where we know the membrane is thermalised to the environment.

In the frequency domain, we can write the field \hat{c}_1 inside the cavity as [46]

$$\hat{c}_1(\omega) = -\chi_c(\omega) \left[\sqrt{\kappa\eta_1} \hat{a}_1^{\text{in}}(\omega) + i\sqrt{2}g_1 \hat{X}_m(\omega) \right], \quad (\text{A1})$$

where η_1 is the cavity incoupling efficiency and $\chi_c(\omega)^{-1} = \kappa/2 - i(\Delta + \omega)$ the cavity susceptibility.

The output phase quadrature of the light \hat{P}_L is related to the one inside the cavity \hat{p}_1 via the input-output relation $\hat{P}_L = \hat{p}_1^{\text{in}} + \sqrt{\kappa\eta_1} \hat{p}_1$.

In the thermal-noise dominated regime, we can neglect the term \hat{p}_1^{in} . Setting $g_1 = g_0 \chi_c(0) \sqrt{\kappa\eta_1} \alpha_1^{\text{in}}$ we can express \hat{P}_L in terms of experimentally measurable quantities:

$$\hat{P}_L(\omega) = -\eta_1 g_0 \alpha_1^{\text{in}} \mathcal{R}(\omega) \hat{X}_m(\omega), \quad (\text{A2})$$

with the cavity transduction factor

$$\mathcal{R}(\omega) = \kappa [\chi_c(0)\chi_c(\omega) + \chi_c^*(0)\chi_c^*(-\omega)] \stackrel{\Delta=0}{=} \frac{8}{\kappa}. \quad (\text{A3})$$

The thermal occupation number \bar{n}_m is then calibrated by measuring this light quadrature. For this, we beat the output beam with a strong local oscillator with power $P_{\text{LO}} = \hbar\omega_L \alpha_{\text{LO}}^2 \gg P_1$ and use a Mach-Zehnder interferometer to perform homodyne detection. By means of a piezoelectric mirror in the local oscillator arm, we can scan the homodyne angle θ , and the recorded output voltage is given by:

$$\hat{D}(\omega) = \sqrt{2}\alpha_{\text{LO}} [\cos(\theta) \hat{X}_L(\omega) + \sin(\theta) \hat{P}_L(\omega)]. \quad (\text{A4})$$

The DC signal of the interference is given by $D(\omega = 0) = 2\alpha_{\text{LO}} \alpha_1^{\text{in}} \cos \theta$, whose amplitude $D_0 = 2\alpha_{\text{LO}} \alpha_1^{\text{in}}$ can now be

used to calibrate the membrane signal. Locking the interferometer at $\theta = \pi/2$ we are sensitive to the phase quadrature \hat{P}_L encoding the membrane signal \hat{X}_m

$$\hat{D}_{\theta=\frac{\pi}{2}}(\omega) = \sqrt{2}\alpha_{\text{LO}} \alpha_1^{\text{in}} \eta_1 g_0 \mathcal{R}(\omega) \hat{X}_m(\omega). \quad (\text{A5})$$

From this signal $\hat{D}_{\theta=\frac{\pi}{2}}(\omega)$, we can compute the detected power spectral density (PSD) $S_{DD}(\omega)$

$$S_{DD}(\omega) = \frac{1}{2} D_0^2 [\eta_1 g_0 |\mathcal{R}(\omega)|]^2 S_{XX}(\omega), \quad (\text{A6})$$

with the membrane displacement power spectral density $S_{XX}(\omega)$. On the other hand, the average number of phonons is related to the variance of the membrane displacement as

$$\bar{n}_m + \frac{1}{2} = \langle \hat{X}_m^2(t) \rangle = 2 \int_0^\infty \bar{S}_{XX}(\omega) \frac{d\omega}{2\pi}, \quad (\text{A7})$$

with the symmetrized PSD $\bar{S}_{XX}(\omega)$. Therefore, combining Eqs. (A6) and (A7) the number of phonons can be directly obtained from the recorded power spectral density as

$$\bar{n}_m = \frac{4}{D_0^2 [\eta_1 g_0 |\mathcal{R}(\omega)|]^2} \int_0^\infty \bar{S}_{DD}(\omega) \frac{d\omega}{2\pi} - \frac{1}{2}. \quad (\text{A8})$$

2. Phonon number via area ratios

An alternative way to determine the thermal occupation number of the mechanical oscillator consists in comparing the measured power spectral density area in the presence of feedback with the area obtained if only a single interaction takes place.

In a single-pass interaction, the phonon occupation can be estimated from the procedure outlined in the previous section or from the measured linewidth Γ_m and knowledge of the environment temperature by $\bar{n}_{\text{calib}} = n_{\text{th}}(T) \gamma_m / (\gamma_m + \Gamma_m)$. We can now associate the area of the measured spectrum A_{calib} to an occupation \bar{n}_{calib} .

For this, we first obtain the membrane occupation in the presence of moderate cooling due to the optical field following standard optomechanical cooling theory measured as a change in linewidth to its voltage transduction in our PSD measurement $\bar{S}_{DD}^{\text{calib}}(\omega)$. We can then use the ratio between the corresponding calibration area A_{calib} and the computed occupation number \bar{n}_{calib} to determine the occupation number \bar{n}_m due to our coherent feedback loop.

In the presence of additional cooling due to the feedback loop, the phonon number is then given by the ratio of areas

$$\bar{n}_m = \frac{\bar{n}_{\text{calib}}}{A_{\text{calib}}} A_{DD}, \quad (\text{A9})$$

with A_{DD} the area of the measured PSD. For this to be accurate, it is essential to know the temperature T at which the membrane is thermalised. To determine the actual thermalisation temperature at different cryostat temperatures we use standard optomechanical cooling experiments as shown in

Fig. 5. For each cryostat temperature, we increase the power of a red-detuned beam and measure the displacement PSD with a resonant probe beam in a homodyne detection scheme. The ratio of the areas at different temperatures can be used to infer the environment temperature. If we compare the reduction in areas due to the optomechanical cooling to the theoretical expectation at those temperatures we find an excellent agreement. Furthermore this agreement allows us to exclude excess backaction through classical laser noise for the powers that we are employing. We find a satisfactory agreement between the two calibration procedures described in this and the previous section.




FIG. 5. Standard dynamical backaction cooling. For different cryostat temperatures the plot shows the phonon occupation as a function of cooling beam power. The shaded area marks the cavity dynamical backaction limit.

Appendix B: Theoretical description

1. Langevin equations including losses

In this section, we derive the Langevin equations provided in Eqs. (1), (3), and (6) from the non-linear optomechanical equations of motion including additional losses. We start by considering the Langevin equations for the mechanical oscillator

$$\begin{aligned} \partial_t \hat{X}'_m(t) &= \Omega_m \hat{P}_m(t), \\ \partial_t \hat{P}_m(t) &= -\Omega_m \hat{X}'_m(t) - \gamma_m \hat{P}_m(t) - \sqrt{2}g_0 \sum_{j=1}^2 \hat{C}_j^\dagger(t) \hat{C}_j(t) \\ &\quad - \sqrt{2\gamma_m} \hat{\xi}_{th}(t). \end{aligned} \quad (\text{B1})$$

Here \hat{C}_j denotes the annihilation operator in the cavity mode j . We now write

$$\hat{C}_j = e^{i\phi_j} (|\alpha_j| + \hat{c}_j), \quad (\text{B2})$$

where $\alpha_j = \langle \hat{C}_j \rangle$. In the optomechanical coupling, we drop the non-linear term that is independent of α_j , as it is negligible for large average displacements. This results in the equation for

the momentum

$$\begin{aligned} \partial_t \hat{P}_m(t) &= -\Omega_m [\hat{X}'_m(t) + \delta X] - \gamma_m \hat{P}_m(t) \\ &\quad - 2 \sum_{j=1}^2 g_j \hat{x}_j(t) - \sqrt{2\gamma_m} \hat{\xi}_{th}(t), \\ \delta X &= \sqrt{2} \frac{g_0}{\Omega_m} (|\alpha_1|^2 + |\alpha_2|^2), \end{aligned} \quad (\text{B3})$$

where $\hat{x}_j = (\hat{c}_j^\dagger + \hat{c}_j)/\sqrt{2}$ as in the main text. To recover Eqs. (1) in the main text, we identify $\hat{X}_m = \hat{X}'_m + \delta X$, which also obeys $\partial_t \hat{X}_m = \Omega_m \hat{P}_m$. We note that δX is of order one for the parameters in the experiment, implying that the mechanical oscillator exhibits an average displacement of the order of the zero-point fluctuations.

The Langevin equation for the cavity modes read

$$\begin{aligned} \partial_t \hat{C}_j(t) &= \left(i\Delta - \frac{\kappa}{2}\right) \hat{C}_j(t) - i\sqrt{2}g_0 \hat{C}_j \hat{X}'_m(t) \\ &\quad - \sqrt{\kappa} \hat{A}_j^{\text{in}}(t), \end{aligned} \quad (\text{B4})$$

where $\hat{A}_j^{\text{in}} = \alpha_j^{\text{in}} + e^{i\phi_j} \hat{a}_j^{\text{in}}$ denotes the input field for the respective mode, with $\langle \hat{A}_j^{\text{in}} \rangle = \alpha_j^{\text{in}}$. Using Eq. (B2) and dropping the non-linear term in the optomechanical coupling, we find equations of motion for both the average displacements α_j and the operators describing fluctuations around those averages \hat{c}_j . For the averages, we find

$$\partial_t \alpha_j(t) = \left(i\Delta + i\sqrt{2}g_0 \delta X - \frac{\kappa}{2}\right) \alpha_j(t) - \sqrt{\kappa} \alpha_j^{\text{in}}. \quad (\text{B5})$$

We note that these equations are non-linear, because δX depends on α_j . This non-linear term acts like a displacement-dependent detuning. However, since δX is of order one and $g_0 \ll \kappa$, this can safely be ignored and we find the steady-state values

$$\alpha_j = -\frac{\sqrt{\kappa} \alpha_j^{\text{in}}}{\kappa/2 - i\Delta}. \quad (\text{B6})$$

For the fluctuations, we find the Langevin equations

$$\begin{aligned} \partial_t \hat{c}_j(t) &= \left(i\Delta + i\sqrt{2}g_0 \delta X - \frac{\kappa}{2}\right) \hat{c}_j(t) - i\sqrt{2}g_j \hat{X}_m(t) \\ &\quad - \sqrt{\kappa} \hat{a}_j^{\text{in}}(t). \end{aligned} \quad (\text{B7})$$

The contribution to the detuning due to the displacement of the mechanical oscillator can again safely be ignored. For the first cavity mode, we directly recover Eq. (3). For the second cavity mode, we first need to determine the input field operator.

In the case of a finite coupling efficiency to the cavity mode, the input operator for the first cavity mode reads

$$\hat{a}_1^{\text{in}}(t) = \sqrt{\eta_1} \hat{a}_1^{\text{in}}(t) + \sqrt{1 - \eta_1} \hat{v}_1(t), \quad (\text{B8})$$

where \hat{a}_1^{in} denotes the input mode driven by the local oscillator and \hat{v}_1 denotes an additional source of vacuum noise. Note that $\alpha_1^{\text{in}} = \sqrt{\eta_1} \alpha_1^{\text{in}}$, i.e., the cavity mode is driven by a fraction

η_1 of the physical input power. The output mode of the first cavity mode that is used for feedback is given by

$$\hat{a}_1^{\text{out}}(t) = \hat{a}_1^{\text{in}}(t) + \sqrt{\eta_1 \kappa} \hat{c}_1(t). \quad (\text{B9})$$

This mode is then combined with an auxiliary local oscillator \hat{a}'_{aux} at a beamsplitter with splitting ratio η_{aux} , before being delayed by the time τ . Including further losses arising from the delay fiber, additional optics as well as from coupling to the second cavity mode, the input mode for the second cavity mode reads

$$\begin{aligned} \hat{a}_2^{\text{in}}(t) &= \sqrt{1 - \eta_2} \hat{v}_2(t) \\ &+ \sqrt{\eta_2} \left[\sqrt{\eta_{\text{aux}}} e^{i\varphi} \hat{a}_1^{\text{out}}(t - \tau) + \sqrt{1 - \eta_{\text{aux}}} \hat{a}'_{\text{aux}}(t - \tau) \right] \\ &= \sqrt{1 - \eta_2} \hat{v}_2(t) + \sqrt{\eta_1 \eta_2 \eta_{\text{aux}}} \kappa e^{i\varphi} \hat{c}_1(t - \tau) \\ &+ \sqrt{\eta_2 \eta_{\text{aux}}} e^{i\varphi} \hat{a}_1^{\text{in}}(t - \tau) + \sqrt{\eta_2 (1 - \eta_{\text{aux}})} \hat{a}'_{\text{aux}}(t - \tau). \end{aligned} \quad (\text{B10})$$

Here the phase $\varphi = \phi_1 - \phi_2$ arises because of the different phases that enter the definitions of \hat{c}_1 and \hat{c}_2 , see Eq. (B2). We may now introduce the mode

$$\begin{aligned} \hat{a}_{\text{aux}}(t) &= \sqrt{\frac{\eta_2 (1 - \eta_{\text{aux}})}{1 - \eta}} \hat{a}'_{\text{aux}}(t - \tau) + \sqrt{\frac{1 - \eta_2}{1 - \eta}} \hat{v}_2(t) \\ &+ \sqrt{\frac{(1 - \eta_1) \eta_2 \eta_{\text{aux}}}{1 - \eta}} e^{i\varphi} \left[\sqrt{1 - \eta_1} \hat{a}_1^{\text{in}}(t - \tau) - \sqrt{\eta_1} \hat{v}_1(t - \tau) \right], \end{aligned} \quad (\text{B11})$$

where we introduced the total efficiency

$$\eta = \eta_1 \eta_2 \eta_{\text{aux}}. \quad (\text{B12})$$

We note that in the ideal limit where $\eta_1 = \eta_2 = 0$, we have $\hat{a}_{\text{aux}}(t) = \hat{a}'_{\text{aux}}(t - \tau)$, i.e., we shifted the time-argument. With the help of Eq. (B11), we find

$$\hat{a}_2^{\text{in}}(t) = \sqrt{\eta} e^{i\varphi} \left[\sqrt{\kappa} \hat{c}_1(t - \tau) + \hat{a}_1^{\text{in}}(t - \tau) \right] + \sqrt{1 - \eta} \hat{a}_{\text{aux}}(t), \quad (\text{B13})$$

recovering Eq. (6). Importantly, the mode \hat{a}_{aux} is orthogonal to the mode \hat{a}_1^{in} for all values of τ , such that we preserve the commutation relations from the ideal scenario. However, the average of the auxiliary mode reads

$$\alpha_{\text{aux}} = (1 - \eta_1) \sqrt{\frac{\eta_2 \eta_{\text{aux}}}{1 - \eta}} \alpha_1^{\text{in}} + \sqrt{\frac{\eta_2 (1 - \eta_{\text{aux}})}{1 - \eta}} \alpha'_{\text{aux}}. \quad (\text{B14})$$

For $\eta_1 \neq 1$, this average is non-zero even in the absence of an auxiliary local oscillator.

With these input modes, we recover the averages given in Eqs. (7). The Langevin equations in the main text thus fully capture additional loss channels. However, the amplitudes of the input modes have to be re-scaled as $\alpha_1^{\text{in}} = \sqrt{\eta} \alpha_1^{\text{in}}$ and according to Eq. (B14) in order to take into account all the loss channels that are present.

2. Eliminating the cavity

The Langevin equations in Eqs. (1), (3), and (6) can conveniently be written as a matrix equation in frequency space

$$-i\omega \hat{\mathbf{r}}(\omega) = A(\omega) \hat{\mathbf{r}}(\omega) + B(\omega) \hat{\mathbf{r}}_{\text{in}}(\omega), \quad (\text{B15})$$

where we introduced the vectors

$$\hat{\mathbf{r}}(\omega) = \begin{pmatrix} \hat{X}_m(\omega) \\ \hat{P}_m(\omega) \\ \hat{x}_1(\omega) \\ \hat{p}_1(\omega) \\ \hat{x}_2(\omega) \\ \hat{p}_2(\omega) \end{pmatrix}, \quad \hat{\mathbf{r}}_{\text{in}}(\omega) = \begin{pmatrix} \hat{\xi}_{\text{th}}(\omega) \\ \hat{x}_1^{\text{in}}(\omega) \\ \hat{p}_1^{\text{in}}(\omega) \\ \hat{x}_{\text{aux}}(\omega) \\ \hat{p}_{\text{aux}}(\omega) \end{pmatrix}. \quad (\text{B16})$$

Here, operators in frequency space are given by

$$\hat{O}(\omega) = \frac{1}{\sqrt{2\pi}} \int \hat{O}(t) e^{i\omega t} dt. \quad (\text{B17})$$

The matrices in Eq. (B15) read

$$A(\omega) = \begin{pmatrix} 0 & \Omega_m & 0 & 0 & 0 & 0 \\ -\Omega_m & -\gamma_m & -2g_1 & 0 & -2g_2 & 0 \\ 0 & 0 & -\kappa/2 & -\Delta & 0 & 0 \\ -2g_1 & 0 & \Delta & -\kappa/2 & 0 & 0 \\ 0 & 0 & -\sqrt{\eta}\kappa \cos(\varphi) e^{i\omega\tau} & \sqrt{\eta}\kappa \sin(\varphi) e^{i\omega\tau} & -\kappa/2 & -\Delta \\ -2g_2 & 0 & -\sqrt{\eta}\kappa \sin(\varphi) e^{i\omega\tau} & -\sqrt{\eta}\kappa \cos(\varphi) e^{i\omega\tau} & \Delta & -\kappa/2 \end{pmatrix}, \quad (\text{B18})$$

and

$$B(\omega) = \begin{pmatrix} 0 & 0 & 0 & 0 & 0 \\ -\sqrt{2\gamma_m} & 0 & 0 & 0 & 0 \\ 0 & -\sqrt{\kappa} & 0 & 0 & 0 \\ 0 & 0 & -\sqrt{\kappa} & 0 & 0 \\ 0 & -\sqrt{\eta}\kappa \cos(\varphi) e^{i\omega\tau} & \sqrt{\eta}\kappa \sin(\varphi) e^{i\omega\tau} & -\sqrt{(1-\eta)\kappa} & 0 \\ 0 & -\sqrt{\eta}\kappa \sin(\varphi) e^{i\omega\tau} & -\sqrt{\eta}\kappa \cos(\varphi) e^{i\omega\tau} & 0 & -\sqrt{(1-\eta)\kappa} \end{pmatrix}. \quad (\text{B19})$$

From Eq. (B15), we find that any power spectral density can be written using

$$\langle \hat{\mathbf{r}}(\omega) \hat{\mathbf{r}}^T(\omega') \rangle = C(\omega) \langle \hat{\mathbf{r}}_{\text{in}}(\omega) \hat{\mathbf{r}}_{\text{in}}^T(\omega') \rangle C^T(\omega'), \quad (\text{B20})$$

where $C(\omega) = [A(\omega) + i\omega]^{-1}B(\omega)$ and the input spectral density matrix reads

$$\langle \hat{\mathbf{r}}_{\text{in}}(\omega) \hat{\mathbf{r}}_{\text{in}}^T(\omega') \rangle = \delta(\omega + \omega') \begin{pmatrix} S_{\text{th}}(\omega) & 0 & 0 & 0 & 0 \\ 0 & 1/2 & i/2 & 0 & 0 \\ 0 & -i/2 & 1/2 & 0 & 0 \\ 0 & 0 & 0 & 1/2 & i/2 \\ 0 & 0 & 0 & -i/2 & 1/2 \end{pmatrix}, \quad (\text{B21})$$

with $S_{\text{th}}(\omega)$ given in Eq. (2).

Since we are dealing with a linear set of equations, the cavity modes may be eliminated from Eq. (B15). A tedious but straightforward calculation results in

$$-i\omega \hat{P}_m(\omega) = -[\Omega_m + 2\delta\Omega_m(\omega)]\hat{X}_m(\omega) - [\Gamma_m(\omega) + \gamma_m]\hat{P}_m(\omega) + \sqrt{2\gamma_m}\hat{\xi}_{\text{th}}(\omega) + \sqrt{2\Gamma_m}\hat{\xi}_{\text{fb}}(\omega), \quad (\text{B22})$$

where we introduced the frequency-dependent frequency shift

$$\delta\Omega_m(\omega) = \text{Re} \left\{ \frac{2\Delta(g_1^2 + g_2^2)}{\Delta^2 + (\kappa/2 - i\omega)^2} - 2e^{i\omega\tau}g_1g_2\sqrt{\eta}\kappa \frac{2\Delta(\kappa/2 - i\omega)\cos(\varphi) - [\Delta^2 - (\kappa/2 - i\omega)^2]\sin(\varphi)}{[\Delta^2 + (\kappa/2 - i\omega)^2]^2} \right\}, \quad (\text{B23})$$

and the optomechanical damping rate

$$\Gamma_m(\omega) = \frac{\Omega_m}{\omega} \text{Im} \left\{ -\frac{4\Delta(g_1^2 + g_2^2)}{\Delta^2 + (\kappa/2 - i\omega)^2} + 4e^{i\omega\tau}g_1g_2\sqrt{\eta}\kappa \frac{2\Delta(\kappa/2 - i\omega)\cos(\varphi) - [\Delta^2 - (\kappa/2 - i\omega)^2]\sin(\varphi)}{[\Delta^2 + (\kappa/2 - i\omega)^2]^2} \right\}. \quad (\text{B24})$$

In Eq. (B22), we further identified $\Gamma_m \equiv \Gamma_m(\Omega_m)$ and the feedback noise $\hat{\xi}_{\text{fb}}$ is described by the spectral density

$$S_{\text{fb}}(\omega) = \frac{\kappa}{\Gamma_m} \left\{ \frac{g_1^2 + g_2^2}{(\kappa/2)^2 + (\Delta + \omega)^2} + 2g_1g_2\sqrt{\eta} \frac{[(\Delta + \omega)^2 - (\kappa/2)^2]\cos(\varphi + \omega\tau) + \kappa(\Delta + \omega)\sin(\varphi + \omega\tau)}{[(\kappa/2)^2 + (\Delta + \omega)^2]^2} \right\}. \quad (\text{B25})$$

We stress that Eqs. (B22-B25) involve no further approximations after the linearization of the optomechanical coupling.

For a high quality oscillator, we may replace $\delta\Omega_m(\omega)$ with $\delta\Omega_m \equiv \delta\Omega_m(\Omega_m)$ and $\Gamma_m(\omega)$ with Γ_m in Eq. (B22). This results in a second-order differential equation describing a damped harmonic oscillator

$$\partial_t^2 \hat{X}_m(t) = -(\Omega_m + \delta\Omega_m)^2 \hat{X}_m(t) - (\Gamma_m + \gamma_m) \partial_t \hat{X}_m(t) + \Omega_m \sqrt{2\gamma_m} \hat{\xi}_{\text{th}}(t) + \Omega_m \sqrt{2\Gamma_m} \hat{\xi}_{\text{fb}}(t). \quad (\text{B26})$$

From this equation, we may derive the spectral density

$$S_{XX}(\omega) = \frac{(\gamma_m/2)S_{\text{th}}(\Omega_m) + (\Gamma_m/2)S_{\text{fb}}(\Omega_m)}{(\Omega_m + \delta\Omega_m - \omega)^2 + [(\gamma_m + \Gamma_m)/2]^2} + \frac{(\gamma_m/2)S_{\text{th}}(-\Omega_m) + (\Gamma_m/2)S_{\text{fb}}(-\Omega_m)}{(\Omega_m + \delta\Omega_m + \omega)^2 + [(\gamma_m + \Gamma_m)/2]^2}, \quad (\text{B27})$$

where we again invoked the high quality factor of the oscillator.

The number of phonons can be obtained from

$$\begin{aligned} 2\bar{n}_m + 1 &= \int_{-\infty}^{\infty} [S_{XX}(\omega) + S_{PP}(\omega)] \frac{d\omega}{2\pi} \\ &= \int_{-\infty}^{\infty} S_{XX}(\omega) [1 + (\omega/\Omega_m)^2] \frac{d\omega}{2\pi} \\ &\approx 2 \int_{-\infty}^{\infty} S_{XX}(\omega) \frac{d\omega}{2\pi}, \end{aligned} \quad (\text{B28})$$

which yields Eq. (11) with $\bar{S}_{\text{fb}}(\Omega_m) = S_{\text{fb}}(\Omega_m) + S_{\text{fb}}(-\Omega_m)$.

3. The unresolved sideband limit

Here we provide simplified expressions for the unresolved sideband limit, $\Omega_m \ll \kappa$. In contrast to the expressions given in the main text, we consider a finite detuning Δ . We first consider dynamical backaction cooling without coherent feedback by setting $\eta = 0$. In this case, the frequency shift and the optomechanical damping rate reduce to

$$\delta\Omega_{\text{dyn}} = \frac{2\Delta(g_1^2 + g_2^2)}{\Delta^2 + (\kappa/2)^2}, \quad (\text{B29})$$

and

$$\Gamma_{\text{dyn}} = -4 \frac{\Delta\kappa\Omega_m(g_1^2 + g_2^2)}{[\Delta^2 + (\kappa/2)^2]^2}. \quad (\text{B30})$$

For $\Gamma_m \gg \gamma_m$, the phonon occupation number in Eq. (11) reduces to

$$\bar{n}_{\text{dyn}} = \frac{\Delta^2 + (\kappa/2)^2}{4|\Delta|\Omega_m} - \frac{1}{2}, \quad (\text{B31})$$

which is minimized at $\Delta = -\kappa/2$ where it reads

$$\bar{n}_{\text{dyn}} = \frac{\kappa}{4\Omega_m} \gg 1. \quad (\text{B32})$$

Here, we dropped the term $1/2$ as it becomes negligible. The last equation is the well-known cooling limit for cavity *dynamical backaction cooling* in the unresolved sideband

regime [20].

In the presence of coherent feedback ($\eta \neq 0$), we find the following expressions to lowest-order in Ω_m/κ

$$\delta\Omega_m = \frac{2\Delta(g_1^2 + g_2^2)}{\Delta^2 + (\kappa/2)^2} - 2\cos(\Omega_m\tau)g_1g_2\sqrt{\eta}\kappa \frac{\Delta\kappa\cos(\varphi) - [\Delta^2 - (\kappa/2)^2]\sin(\varphi)}{[\Delta^2 + (\kappa/2)^2]^2}, \quad (\text{B33})$$

and

$$\Gamma_m = 4\sin(\Omega_m\tau)g_1g_2\sqrt{\eta}\kappa \frac{\Delta\kappa\cos(\varphi) - [\Delta^2 - (\kappa/2)^2]\sin(\varphi)}{[\Delta^2 + (\kappa/2)^2]^2}. \quad (\text{B34})$$

We note that the coherent feedback allows for a Γ_m that is independent of Ω_m/κ to lowest-order in this parameter. This stands in contrast to cavity dynamical backaction cooling, where $\Gamma_{\text{dyn}} \propto \Omega_m/\kappa$ to lowest-order [cf. Eq. (B30)]. In the limit $\Gamma_m \gg \gamma_m$, the number of phonons is then given by

$$\bar{n}_m = \frac{\kappa}{\Gamma_m} \frac{(g_1^2 + g_2^2)}{(\kappa/2)^2 + \Delta^2} + \frac{1}{2} \frac{\cos(\Omega_m\tau)}{\sin(\Omega_m\tau)} \frac{\kappa\Delta\sin(\varphi) + [\Delta^2 - (\kappa/2)^2]\cos(\varphi)}{\kappa\Delta\cos(\varphi) - [\Delta^2 - (\kappa/2)^2]\sin(\varphi)} - \frac{1}{2}. \quad (\text{B35})$$

For $\Delta = 0$, Eqs. (B33), (B34), and (B35) reduce to Eqs. (9) and (13).

Appendix C: Equivalence with measurement-based feedback cooling

In this section, we extend the comparison between coherent feedback and measurement-based feedback of Sec. VI by

considering a generic spectral filter function $\Xi_{\text{mf}}(\omega)$, which implements an arbitrary feedback response taking place after the measurement. As for the treatment of coherent feedback, we can obtain a reduced description for the mechanical variables by eliminating the cavity mode

$$-i\omega\hat{P}_m(\omega) = -[\Omega_m + 2\delta\Omega_{\text{mf}}(\omega)]\hat{X}_m(\omega) - [\Gamma_{\text{mf}}(\omega) + \gamma_m]\hat{P}_m(\omega) + \sqrt{2\gamma_m}\hat{\xi}_{\text{th}}(\omega) + \sqrt{2\Gamma_{\text{mf}}} \hat{\xi}_{\text{mf}}(\omega), \quad (\text{C1})$$

where we introduced the frequency shift and optomechanical damping rate, respectively given by

$$\delta\Omega_{\text{mf}}(\omega) = \frac{1}{2}\text{Re}\left\{\frac{2g_1\Xi_{\text{mf}}(\omega)}{\kappa/2 - i\omega}\right\}, \quad (\text{C2})$$

$$\Gamma_{\text{mf}}(\omega) = -\frac{\Omega_m}{\omega}\text{Im}\left\{\frac{2g_1\Xi_{\text{mf}}(\omega)}{\kappa/2 - i\omega}\right\}, \quad (\text{C3})$$

with $\Gamma_{\text{mf}} = \Gamma_{\text{mf}}(\Omega_m)$, and collected the noise terms in the expression

$$\hat{\xi}_{\text{mf}}(\omega) = \frac{1}{\sqrt{2\Gamma_{\text{mf}}}} \left[\frac{2g_1\sqrt{\kappa}}{\kappa/2 - i\omega} \hat{x}_{\text{in}}(\omega) - \frac{\Xi_{\text{mf}}(\omega)}{\sqrt{\kappa}} \left(\frac{\kappa/2 + i\omega}{\kappa/2 - i\omega} \right) \hat{p}_{\text{in}}(\omega) - \frac{\Xi_{\text{mf}}(\omega)}{\sqrt{\kappa}} \sqrt{\frac{1 - \eta_{\text{det}}}{\eta_{\text{det}}}} \hat{p}_0(\omega) \right]. \quad (\text{C4})$$

The first term in Eq. (C4) describes shot noise due to radiation pressure interaction with the first cavity, while the second and third terms describe the noise associated with the feedback process. The spectral density characterizing the noise $\hat{\xi}_{\text{mf}}$ reads

$$\begin{aligned} S_{\text{mf}}(\omega) &= \frac{1}{\Gamma_{\text{mf}}} \left[\frac{\kappa g_1^2}{\omega^2 + (\kappa/2)^2} + \frac{|\Xi_{\text{mf}}(\omega)|^2}{4\kappa\eta_{\text{det}}} - g_1 \text{Im}\left\{\frac{\Xi_{\text{mf}}(\omega)}{\kappa/2 - i\omega}\right\} \right] \\ &= \frac{1}{\Gamma_{\text{mf}}} \left[\frac{\kappa g_1^2}{\omega^2 + (\kappa/2)^2} + \frac{|\Xi_{\text{mf}}(\omega)|^2}{4\kappa\eta_{\text{det}}} + \frac{1}{2} \frac{\omega}{\Omega_m} \Gamma_{\text{mf}}(\omega) \right]. \end{aligned} \quad (\text{C5})$$

We can now compare the quantities $\delta\Omega_{\text{mf}}(\omega)$, $\Gamma_{\text{mf}}(\omega)$ and $S_{\text{mf}}(\omega)$ with the corresponding expressions derived

for the case of coherent feedback, respectively given by Eqs. (B23), (B24) and (B25). We further focus on the case $\Delta = 0$ and $\varphi = \pi/2$, which is relevant for cooling.

By requiring the measurement-based feedback to induce the same effective damping and broadening as coherent feedback at all frequencies, i.e., by enforcing $\delta\Omega_{\text{mf}}(\omega) = \delta\Omega_m(\omega)$ and $\Gamma_{\text{mf}}(\omega) = \Gamma_m(\omega)$, we get the following filter function

$$\tilde{\Xi}_{\text{mf}}(\omega) = -4g_2 \sqrt{\eta} \frac{e^{i\omega\tau}}{1 - 2i\omega/\kappa}. \quad (\text{C6})$$

In the above expression the exponential term describes the effect of delay, i.e., in order to reproduce the effect of coherent

feedback a delay has to be incorporated in the measurement-based feedback loop. If we compare this expression to the case of cold damping in Eq. (14), we notice that $\kappa/2$ plays the role of the feedback bandwidth, $4g_2 \sqrt{\eta}$ the strength of the feedback and that there is no frequency dependence in the numerator for $\tau = 0$.

We then plug this filter in Eq. (C5) and compare the corresponding noise spectral density with that of coherent feedback Eq. (B25). It is straightforward to show that whenever $\eta = \eta_{\text{det}}$, the ensuing noise spectral densities $S_{\text{fb}}(\omega)$ and $S_{\text{mf}}(\omega)$ match for all frequency values and for arbitrary values of delay. This shows the equivalence of measurement-based feedback cooling and coherent feedback cooling in more general terms than the particular case of cold damping.

-
- [1] J. Zhang, Y. xi Liu, R.-B. Wu, K. Jacobs, and F. Nori, Quantum feedback: Theory, experiments, and applications, *Phys. Rep.* **679**, 1 (2017).
 - [2] S. Lloyd, Coherent quantum feedback, *Phys. Rev. A* **62**, 022108 (2000).
 - [3] H. M. Wiseman and G. J. Milburn, All-optical versus electro-optical quantum-limited feedback, *Phys. Rev. A* **49**, 4110 (1994).
 - [4] H. M. Wiseman and G. J. Milburn, *Quantum Measurement and Control* (Cambridge University Press, 2009).
 - [5] N. Yamamoto, Coherent versus Measurement Feedback: Linear Systems Theory for Quantum Information, *Phys. Rev. X* **4**, 041029 (2014).
 - [6] K. Jacobs, X. Wang, and H. M. Wiseman, Coherent feedback that beats all measurement-based feedback protocols, *New J. Phys.* **16**, 073036 (2014).
 - [7] H. Mabuchi, Coherent-feedback quantum control with a dynamic compensator, *Phys. Rev. A* **78**, 032323 (2008).
 - [8] M. Tsang and C. M. Caves, Coherent Quantum-Noise Cancellation for Optomechanical Sensors, *Phys. Rev. Lett.* **105**, 123601 (2010).
 - [9] J. E. Gough and S. Wildfeuer, Enhancement of field squeezing using coherent feedback, *Phys. Rev. A* **80**, 042107 (2009).
 - [10] S. Iida, M. Yukawa, H. Yonezawa, N. Yamamoto, and A. Furusawa, Experimental Demonstration of Coherent Feedback Control on Optical Field Squeezing, *IEEE Trans. Autom. Control* **57**, 2045 (2012), conference Name: IEEE Transactions on Automatic Control.
 - [11] S. Shankar, M. Hatridge, Z. Leghtas, K. M. Sliwa, A. Narla, U. Vool, S. M. Girvin, L. Frunzio, M. Mirrahimi, and M. H. Devoret, Autonomously stabilized entanglement between two superconducting quantum bits, *Nature* **504**, 419 (2013).
 - [12] Y. Zhou, X. Jia, F. Li, J. Yu, C. Xie, and K. Peng, Quantum Coherent Feedback Control for Generation System of Optical Entangled State, *Sci. Rep.* **5**, 11132 (2015).
 - [13] H. Rohde, S. T. Gulde, C. F. Roos, P. A. Barton, D. Leibfried, J. Eschner, F. Schmidt-Kaler, and R. Blatt, Sympathetic ground-state cooling and coherent manipulation with two-ion crystals, *J. Opt. B: Quantum Semiclass. Opt.* **3**, S34 (2001).
 - [14] M. Frimmer, J. Gieseler, and L. Novotny, Cooling Mechanical Oscillators by Coherent Control, *Phys. Rev. Lett.* **117**, 163601 (2016).
 - [15] G.-L. Schmid, C. T. Ngai, M. Ernzer, M. B. Aguilera, T. M. Karg, and P. Treutlein, Coherent feedback cooling of a nanomechanical membrane with atomic spins, *Phys. Rev. X* **12**, 011020 (2022).
 - [16] R. J. Nelson, Y. Weinstein, D. Cory, and S. Lloyd, Experimental Demonstration of Fully Coherent Quantum Feedback, *Phys. Rev. Lett.* **85**, 3045 (2000).
 - [17] M. Hirose and P. Cappellaro, Coherent feedback control of a single qubit in diamond, *Nature* **532**, 77 (2016).
 - [18] J. Zhang, R. Wu, Y. Liu, C. Li, and T. Tarn, Quantum coherent nonlinear feedback with applications to quantum optics on chip, *IEEE Trans. Autom. Control* **57**, 1997 (2012).
 - [19] Z. Wang and A. H. Safavi-Naeini, Enhancing a slow and weak optomechanical nonlinearity with delayed quantum feedback, *Nat. Commun.* **8**, 15886 (2017).
 - [20] M. Aspelmeyer, T. J. Kippenberg, and F. Marquardt, Cavity optomechanics, *Rev. Mod. Phys.* **86**, 1391 (2014).
 - [21] S. Huang and A. Chen, Cooling of a Mechanical Oscillator and Normal Mode Splitting in Optomechanical Systems with Coherent Feedback, *Appl. Sci.* **9**, 3402 (2019).
 - [22] J. Guo and S. Gröblacher, Coherent feedback in optomechanical systems in the sideband-unresolved regime, *arXiv:2206.13917v1 [quant-ph]* (2022).
 - [23] D. Mansouri, B. Rezaie, A. Ranjbar N, and A. Daeichian, Cavity-assisted coherent feedback cooling of a mechanical resonator to the ground-state in the unresolved sideband regime, *J. Phys. B: At. Mol. Opt. Phys.* **55**, 165501 (2022).
 - [24] R. Hamerly and H. Mabuchi, Advantages of coherent feedback for cooling quantum oscillators, *Phys. Rev. Lett.* **109**, 173602 (2012).
 - [25] J. Li, G. Li, S. Zippilli, D. Vitali, and T. Zhang, Enhanced entanglement of two different mechanical resonators via coherent feedback, *Phys. Rev. A* **95**, 043819 (2017).
 - [26] M. Amazioug, B. Maroufi, and M. Daoud, Using coherent feedback loop for high quantum state transfer in optomechanics, *Physics Lett. A* **384**, 126705 (2020).
 - [27] A. Harwood, M. Brunelli, and A. Serafini, Cavity optomechanics assisted by optical coherent feedback, *Phys. Rev. A* **103**, 023509 (2021).
 - [28] S. Barzanjeh, A. Xuereb, S. Gröblacher, M. Paternostro, C. A. Regal, and E. M. Weig, Optomechanics for quantum technologies, *Nat. Phys.* **18**, 15 (2022).
 - [29] J. Kerckhoff, R. W. Andrews, H. S. Ku, W. F. Kindel, K. Cicak, R. W. Simmonds, and K. W. Lehnert, Tunable Coupling to a Mechanical Oscillator Circuit Using a Coherent Feedback Network, *Phys. Rev. X* **3**, 021013 (2013).

- [30] S. Mancini, D. Vitali, and P. Tombesi, Optomechanical cooling of a macroscopic oscillator by homodyne feedback, *Phys. Rev. Lett.* **80**, 688 (1998).
- [31] M. Rossi, D. Mason, J. Chen, Y. Tsaturyan, and A. Schliesser, Measurement-based quantum control of mechanical motion, *Nature* **563**, 53 (2018).
- [32] U. DeliĆ, M. Reisenbauer, K. Dare, D. Grass, V. Vuletić, N. Kiesel, and M. Aspelmeyer, Cooling of a levitated nanoparticle to the motional quantum ground state, *Science* **367**, 892 (2020).
- [33] F. Tebbenjohanns, M. L. Mattana, M. Rossi, M. Frimmer, and L. Novotny, Quantum control of a nanoparticle optically levitated in cryogenic free space, *Nature* **595**, 378 (2021).
- [34] C. Whittle, E. D. Hall, S. Dwyer, N. Mavalvala, V. Sudhir, R. Abbott, A. Ananyeva, C. Austin, L. Barsotti, J. Betzwieser, C. D. Blair, A. F. Brooks, D. D. Brown, A. Buikema, C. Cahillane, J. C. Driggers, A. Effler, A. Fernandez-Galiana, P. Fritschel, V. V. Frolov, T. Hardwick, M. Kasprzack, K. Kawabe, N. Kijbunchoo, J. S. Kissel, G. L. Mansell, F. Matichard, L. McCuller, T. McRae, A. Mullavey, A. Pele, R. M. S. Schofield, D. Sigg, M. Tse, G. Vajente, D. C. Vanderhyde, H. Yu, H. Yu, C. Adams, R. X. Adhikari, S. Appert, K. Arai, J. S. Areeda, Y. Asali, S. M. Aston, A. M. Baer, M. Ball, S. W. Ballmer, S. Banagiri, D. Barker, J. Bartlett, B. K. Berger, D. Bhattacharjee, G. Billingsley, S. Biscans, R. M. Blair, N. Bode, P. Booker, R. Bork, A. Bramley, K. C. Cannon, X. Chen, A. A. Ciobanu, F. Clara, C. M. Compton, S. J. Cooper, K. R. Corley, S. T. Countryman, P. B. Covas, D. C. Coyne, L. E. H. Datrier, D. Davis, C. Di Fronzo, K. L. Dooley, P. Dupej, T. Etzel, M. Evans, T. M. Evans, J. Feicht, P. Fulda, M. Fyffe, J. A. Giaime, K. D. Giardina, P. Godwin, E. Goetz, S. Gras, C. Gray, R. Gray, A. C. Green, E. K. Gustafson, R. Gustafson, J. Hanks, J. Hanson, R. K. Hasskew, M. C. Heintze, A. F. Helmling-Cornell, N. A. Holland, J. D. Jones, S. Kandhasamy, S. Karki, P. J. King, R. Kumar, M. Landry, B. B. Lane, B. Lantz, M. Laxen, Y. K. Lecoeuche, J. Leviton, J. Liu, M. Lormand, A. P. Lundgren, R. Macas, M. MacInnis, D. M. Macleod, S. Márka, Z. Márka, D. V. Martynov, K. Mason, T. J. Massinger, R. McCarthy, D. E. McClelland, S. McCormick, J. McIver, G. Mendell, K. Merfeld, E. L. Merillh, F. Meylahn, T. Mistry, R. Mittleman, G. Moreno, C. M. Mow-Lowry, S. Mozzon, T. J. N. Nelson, P. Nguyen, L. K. Nuttall, J. Oberling, R. J. Oram, C. Osthelder, D. J. Ottaway, H. Overmier, J. R. Palamos, W. Parker, E. Payne, R. Penhorwood, C. J. Perez, M. Pirello, H. Radkins, K. E. Ramirez, J. W. Richardson, K. Riles, N. A. Robertson, J. G. Rollins, C. L. Romel, J. H. Romie, M. P. Ross, K. Ryan, T. Sadecki, E. J. Sanchez, L. E. Sanchez, T. R. Saravanan, R. L. Savage, D. Schaetz, R. Schnabel, E. Schwartz, D. Sellers, T. Shaffer, B. J. J. Slagmolen, J. R. Smith, S. Soni, B. Sorazu, A. P. Spencer, K. A. Strain, L. Sun, M. J. Szczepańczyk, M. Thomas, P. Thomas, K. A. Thorne, K. Toland, C. I. Torrie, G. Traylor, A. L. Urban, G. Valdes, P. J. Veitch, K. Venkateswara, G. Venugopalan, A. D. Viets, T. Vo, C. Vorvick, M. Wade, R. L. Ward, J. Warner, B. Weaver, R. Weiss, B. Willke, C. C. Wipf, L. Xiao, H. Yamamoto, L. Zhang, M. E. Zucker, and J. Zweizig, Approaching the motional ground state of a 10-kg object, *Science* **372**, 1333 (2021).
- [35] T. M. Karg, B. Gouraud, P. Treutlein, and K. Hammerer, Remote Hamiltonian interactions mediated by light, *Phys. Rev. A* **99**, 063829 (2019).
- [36] A. Metelmann and A. A. Clerk, Nonreciprocal photon transmission and amplification via reservoir engineering, *Phys. Rev. X* **5**, 021025 (2015).
- [37] A. Metelmann and A. A. Clerk, Nonreciprocal quantum interactions and devices via autonomous feedforward, *Phys. Rev. A* **95**, 013837 (2017).
- [38] Y. Chu and S. Gröblacher, A perspective on hybrid quantum opto- and electromechanical systems, *Appl. Phys. Lett.* **117**, 150503 (2020).
- [39] P. Treutlein, C. Genes, K. Hammerer, M. Poggio, and P. Rabl, Hybrid mechanical systems, in *Cavity Optomechanics: Nano- and Micromechanical Resonators Interacting with Light*, edited by M. Aspelmeyer, T. J. Kippenberg, and F. Marquardt (Springer, Berlin, 2014) pp. 327–351.
- [40] J. B. Clark, F. Lecocq, R. W. Simmonds, J. Aumentado, and J. D. Teufel, Sideband cooling beyond the quantum backaction limit with squeezed light, *Nature* **541**, 191 (2017).
- [41] C. Schäfermeier, H. Kerdoncuff, U. B. Hoff, H. Fu, A. Huck, J. Bilek, G. I. Harris, W. P. Bowen, T. Gehring, and U. L. Andersen, Quantum enhanced feedback cooling of a mechanical oscillator using nonclassical light, *Nat. Commun.* **7**, 13628 (2016).
- [42] P. Christoph, T. Wagner, H. Zhong, R. Wiesendanger, K. Sengstock, A. Schwarz, and C. Becker, Combined feedback and sympathetic cooling of a mechanical oscillator coupled to ultracold atoms, *New J. Phys.* **20**, 093020 (2018).
- [43] A. Rogalski, Next decade in infrared detectors, in *Electro-Optical and Infrared Systems: Technology and Applications XIV*, edited by D. A. Huckridge, R. Ebert, and H. Bürsing (SPIE, 2017) p. 104330L.
- [44] V. Giovannetti and D. Vitali, Phase-noise measurement in a cavity with a movable mirror undergoing quantum Brownian motion, *Phys. Rev. A* **63**, 023812 (2001).
- [45] C. W. Gardiner and P. Zoller, *Quantum Noise* (Springer, 2000).
- [46] W. Bowen and G. Milburn, *Quantum Optomechanics* (CRC Press, 2015).
- [47] J. D. Thompson, B. M. Zwickl, A. M. Jayich, F. Marquardt, S. M. Girvin, and J. G. E. Harris, Strong dispersive coupling of a high-finesse cavity to a micromechanical membrane, *Nature* **452**, 72 (2008).
- [48] M. L. Gorodetsky, A. Schliesser, G. Anetsberger, S. Deleglise, and T. J. Kippenberg, Determination of the vacuum optomechanical coupling rate using frequency noise calibration, *Optics Express* **18**, 23236 (2010).
- [49] C. Genes, D. Vitali, P. Tombesi, S. Gigan, and M. Aspelmeyer, Ground-state cooling of a micromechanical oscillator: Comparing cold damping and cavity-assisted cooling schemes, *Phys. Rev. A* **77**, 033804 (2008).
- [50] C. Sommer, A. Ghosh, and C. Genes, Multimode cold-damping optomechanics with delayed feedback, *Phys. Rev. Research* **2**, 033299 (2020).